



ADDENDUM NO. 1

Date: 09/03/2025

Project: City Park Sewer Replacements (Carousel Gardens Amusement Park at Stadium Drive)

- 1) LA Public Work Bid Form is hereby replaced with the attached LA Public Work Bid Form ADD #1, which now includes an alternate bid item for Horizontal Directional Drilling. The corresponding specification for Horizontal Direction Drilling is also attached.

END OF ADDENDUM NO. 1

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: City Park Conservancy
City Park Administration Building
1 Palm Drive
New Orleans, LA 70124

BID FOR: City Park Sewer Replacements
(Carousel Gardens Amusement Park at Stadium Drive)

The undersigned bidder hereby declares and represents that she/he: a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: _____ and dated: _____
(Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA:** (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) _____ .

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:
_____ Dollars (\$ _____)

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:
8" OR 10" PVC LINE (DIRECTIONAL DRILLING) (ADD) Dollars (\$ _____)

Alternate No. 2 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:
CREDIT FOR ELIMINATION OF BORING AND JACKING (DEDUCT) Dollars (\$ _____)

Alternate No. 3 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:
_____ Dollars (\$ _____)

NAME OF BIDDER: _____

ADDRESS OF BIDDER: _____

LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____

NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: _____

DATE: _____

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** **A CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA R.S. 38:2218(A) attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

TO: City Park Conservancy
City Park Administration Building
1 Palm Drive
New Orleans, LA 70124

BID FOR: City Park Sewer Replacements
(Carousel Gardens Amusement Park at Stadium Drive)

NAME OF BIDDER: _____

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> TREE PROTECTION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
01 56 39-01	1	LS		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> ARBORIST			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
01 56 39-02	1	LS		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> MOBILIZATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
01 71 13-01	1	LS		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> 8" PVC SEWER LINE (OPEN TRENCH)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
31 23 33-01	308	LF		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> 10" PVC SEWER LINE (OPEN TRENCH)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
31 23 33-02	384	LF		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> 4" SIDEWALK			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
32 16 23-01	11	SY		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> 8" PVC SEWER LINE (JACK & BORE) BASE BID & REPEAT FOR ALT #2 CREDIT			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 05 23-01	126	LF		

DESCRIPTION:	<u> </u> <u>x</u> Base Bid or <u> </u> Alt. # <u> </u> 10" PVC SEWER LINE (JACK & BORE) BASE BID & REPEAT FOR ALT #2 CREDIT			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 05 23-02	233	LF		

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

TO: City Park Conservancy
City Park Administration Building
1 Palm Drive
New Orleans, LA 70124

BID FOR: City Park Sewer Replacements
(Carousel Gardens Amusement Park at Stadium Drive)

NAME OF BIDDER: _____

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<u> </u> Base Bid or <u> X </u> Alt. # <u> 1 </u> 8" PVC SEWER LINE (HORIZONTAL DIRECTIONAL DRILLING) (ALT #1)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 05 23.13	126	LF		

DESCRIPTION:	<u> </u> Base Bid or <u> x </u> Alt. # <u> 1 </u> 10" PVC SEWER LINE (HORIZONTAL DIRECTIONAL DRILLING) (ALT #1)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 05 23.13	233	LF		

DESCRIPTION:	<u> x </u> Base Bid or <u> </u> Alt. # <u> </u> CCTV – POST-INSTALLTION OF SEWER LINES			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 30 00-01	1,051	LF		

DESCRIPTION:	<u> x </u> Base Bid or <u> </u> Alt. # <u> </u> CONFLICT MANHOLE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 30 00-02	1	EA		

DESCRIPTION:	<u> x </u> Base Bid or <u> </u> Alt. # <u> </u> REHAB MANHOLE (CEMENTIOUS LINER)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 30 00-03	36	FTHT		

DESCRIPTION:	<u> x </u> Base Bid or <u> </u> Alt. # <u> </u> SEWER MANHOLE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
33 30 00-04	5	EA		

SECTION 330523.13 – DIRECTIONAL DRILLING FOR SEWER UTILITIES (ALTERNATE)

PART 1 - GENERAL

1.01 SUMMARY

- A. Section includes Horizontal Directional Drilling (HDD) of 8-inch and 10-inch PVC sanitary sewer mains.
- B. This Section is an Alternate to Section 330523 – Boring and Jacking.
- C. Work includes:
 - 1. Pilot bore, reaming, and pullback.
 - 2. Construction of entry and exit pits.
 - 3. Temporary bypass pumping.
 - 4. Disposal of drilling fluids.
 - 5. Testing and CCTV inspection.

1.02 REFERENCES

- A. ASTM D3034 – PVC Sewer Pipe, SDR-35.
- B. ASTM F679 – Large Diameter PVC Sewer Pipe.
- C. ASTM F1674 – Joint Integrity Test.
- D. ASTM F1962 – HDD of Plastic Pipe.
- E. SWBNO Standard Sewer Details.
- F. DPW Standard Specifications.
- G. Louisiana DOTD Standard Specs, 2016 Edition.

1.03 SUBMITTALS

- A. HDD plan showing: bore profile, pit locations, depths, drilling fluid management.
- B. Contractor qualifications: minimum 3 successful HDD projects of similar size and length.
- C. Pipe manufacturer's certifications.
- D. Test reports (mandrel, air, CCTV).

1.04 QUALITY ASSURANCE

- A. HDD contractor shall have at least 5 years documented experience.
- B. Minimum 5 feet cover to pipe crown unless otherwise indicated.
- C. Bore path tolerance: ± 0.10 feet vertical, ± 0.20 feet horizontal.
- D. SWBNO and DPW inspection required during pullback operations.

PART 2 - PRODUCTS

2.01 PIPE MATERIALS

- A. PVC SDR-35 conforming to Section 333000 – Sanitary Sewer.
- B. Fusible PVC (FPVC, AWWA C900) permitted where shown.
- C. Joints: Elastomeric gasket per ASTM F1674 or thermal butt-fusion.

2.02 DRILLING FLUIDS

- A. Bentonite-based slurry.
- B. Additives approved by Engineer.
- C. Disposal per LDEQ regulations.

2.03 ACCESSORIES

- A. Reamers minimum 1.5x pipe OD.
- B. Swivels to prevent torsional stress.
- C. Pull heads sized to prevent overstressing pipe.

PART 3 - EXECUTION

3.01 INSTALLATION

- A. Construct entry/exit pits as indicated.
- B. Perform pilot bore using electronic tracking.
- C. Ream bore in stages, final pass $\geq 1.5x$ pipe OD.
- D. Pull pipe in single continuous operation.
- E. Maintain drilling fluid circulation to prevent hydrofracture, settlement, or heave.

3.02 FIELD QUALITY CONTROL

- A. Low-pressure air test per ASTM F1674.
- B. CCTV inspection per Section 333000.
- C. Replace any pipe with sag exceeding 0.5 inch in 10 feet.

3.03 RESTORATION

- A. Remove and dispose of drilling fluids properly.
- B. Restore pavement, sidewalks, turf, and landscaping per Division 32.